

Notice No: 975 UGIE, RKL./Date: 24/08/18

Sealed Quotations are invited from the registered manufacturers / Authorized dealers / Suppliers along with catalogues having valid GSTIN and PAN in the name of the firm for Supply of Computer Lab Furniture, set-up & laying of Networking cable, Electrical wiring, installation and integrations for purchase of following items so as to reach to this office latest by **3.30 P.M. on Monday 10th September, 2018**. Interested firms/suppliers/Authorized Dealers may submit their quotations in sealed cover superscripted as "QUOTATIONS FOR COMPUTER LAB SET-UP FOR ETC DEPARTMENT" on the envelop cover.

The quotations so received, shall be opened on same day i.e. **10th September, 2018 at 04.00 P.M.**, in the office of the Principal UGIE, Rourkela in presence of authorize representatives of the suppliers.

Details items are as under:-

1. Furniture set-up for Computer lab

| Sl No | Item(s) Description | Specifications |
|-------|---|--|
| 1 | Computer Table Assembly | <ul style="list-style-type: none"> Customized Fixed Table assembly with slideable keyboard tray for computer placement. Surface of the table finished with pre-laminated water resistant ISI mark Plywood and edge banding with same colour PVC tape/teak beating. One cupboard with shelf, CPU Stand, Foot Rest, slideable keyboard tray fitted with necessary fittings such as wire / cable manager, auto closing hinges, stainless steel handle, multipurpose lock, sliders, necessary bushes etc. with fully closed back panel. With Standard dimension-Width: 2 ft, Length:3ft , Height: 2.5 ft – Approx. |
| 2 | Computer Chair- For Students (Without arm rest) | <ul style="list-style-type: none"> Curved smooth polypropylene shell seat Back with Welded tubular steel sled-based Frame. Standard dimension: BACK SIZE: 39.0 cm (W) X 24.0 cm (H), SEAT SIZE: 44.0 cm (W) X 41.0 cm (D)-Approx. Catalogue with Rate Chart. |
| 3 | Instructor/Lab Technician Table | <ul style="list-style-type: none"> Customised 18 mm pre-laminated Board 40"W x 32"D- Approx AV cabinet 10U rack space (12" deep) Rear vented door includes locks |
| 4 | Instructor/Lab Technician Chair | <ul style="list-style-type: none"> Push Back flexible soft plastic/fibre Steel frame Standard Dimension: W- 21 1/4",D- 21 1/4" Height: 26 1/4" - 29 1/4" adjustable Catalogue with rate chart. |

2. Complete Networking Set-up For Computer Lab

| Sl No | Item(s) Description | Specifications |
|-------|------------------------|--|
| 1 | Network Switch | 24 -Port UM switch(Make-Dlink) |
| 2 | Patch panel | 24-port CAT-6 Patch Panel(Make-Dlink) |
| 3 | Wall mount Rack | 9-U wall mount Rack |
| 4 | LAN Cables/Accessories | LAN cables /IO Box,3 mt. patch cord, UTI outlet (Make-Dlink)/Other Accessories-(capping/casing) etc. |
| 5 | All-in-one Printer | All-in one LAN Printer-high speed, 30 ppm (min), USB, Dual side printing. |

3. Electrical wirings and equipments For Computer Lab

| Sl No | Item(s) Description | Specifications |
|-------|--|--|
| 1 | Electrical Wiring | Branded cables and two 6A -240 V switch /Per Computer with 2-in 1 socket |
| 2 | Earthing | Copper Plate Earthing |
| 3 | PVC copper wire cabling | PVC copper wire cabling/ Other Accessories(capping/casing) etc |
| 4 | Fan | Branded-80 Watt/Speed-380rpm/Sweep-1200 mm |
| 4 | Air Conditioner | Branded-100% Copper/ 1.5 ton/5 Star |
| 5 | Lighting | Commercial mirror optic Luminaire assembly with LED/LED Tubes |
| 6 | UPS with SMF T-batteries (8 nos.) and Trolleys | Branded-5 KVA/Sine wave/Charging Current-12A(min)/Protection-Deep Discharge, MCB, Overload, Short-circuit. |

The undersigned reserves the right to reject any or all quotations, without assigning any reason thereof.

Yours faithfully,

Principal

Utkalmani Gopabandhu Institute
of Engineering, Rourkela -4

Memo No- 976 /UGIE, Rourkela Dtd. 24/8/18

Copy to institute Notice Board for Public Information.

Principal

Utkalmani Gopabandhu Institute
of Engineering, Rourkela -4

Memo No- 977 /UGIE, Rourkela Dtd. 24/8/18

Copy (two copies each) to the Project manager, R/C, Rourkela/ADM Rourkela/Treasury Officer, Special Treasury, Rourkela, Sub-Collector Rourkela, P.D., DRDA Sundergarh with a request to display a copy of this quotation call notice in their notice Board.

Principal

Utkalmani Gopabandhu Institute
of Engineering, Rourkela -4




FIG-1 (ANNEX-A)

Dimension:

As shown in Fig-1

1. Table length should be 3 feet
2. Table width should be 2 feet
3. Table top should be at a height of 2.5 feet
4. Partition height should be at a height of 4 feet
5. There should be a gap of 3 inch in between table top and the top of rack provisioned for keyboard.
6. The width of rack for CPU and UPS should be 1 feet 3 inch.